



# European Mycotoxin Levels

This information is a  
courtesy of





# Belgian Mycotoxin Levels 2007

This information is a courtesy from





# Zearalenone levels 2007

ZEA (ppb)	< 25	25-50	50-100	100-500	Total
Barley	15	0	0	0	15
Oats	8	3	0	0	11
Rye	2	1	0	0	3
Spelt	6	0	0	0	6
Tritiale	8	0	1	0	9
Wheat	21	3	4	1	29

This information is a courtesy  
from





# DON levels 2007

DON (ppb)	< 100	100-500	500-1250	1250-1275	> 1750	Total
Barley	13	6	0	0	0	19
Oats	5	3	0	0	0	8
Rye	1	1	0	0	0	2
Spelt	2	3	1	0	0	6
Tritiale	3	2	4	1	0	10
Wheat	12	44	35	0	5	96

This information is a courtesy  
from





# Belgian Mycotoxin Levels 2008

This information is a courtesy from





# Zearalenone levels 2008

ZEA (ppb)	< 25	25-50	50-100	100-500	Total
Barley	12	2	2	0	16
Oats	6	0	0	0	6
Rye	1	0	0	0	1
Spelt	4	1	0	0	5
Tritiale	3	1	0	0	4
Wheat	9	11	0	2	22

This information is a courtesy  
from





# DON levels 2008

DON (ppb)	< 100	100-500	500-1250	1250-1275	> 1750	Total
Barley	10	14	1	0	0	25
Oats	5	1	0	0	0	6
Rye	1	0	0	0	0	1
Spelt	1	3	1	0	0	5
Tritiale	1	2	0	1	0	4
Wheat	6	27	11	2	0	46

This information is a courtesy  
from






# Netherland's New Harvest 2008

This information is a courtesy from




# Barley



This information is a courtesy  
from



# Wheat



This information is a courtesy from






# UK Forages Harvest 2007

This information is a courtesy from





# DON in UK Forage Samples (2007 Harvest)




This information is a courtesy  
from

■ Maize ■ Whole Crop

**Altech**<sup>®</sup>  
...naturally



# ZEA in UK Forage Samples (2007 Harvest)




■ Maize ■ Whole Crop

This information is a courtesy  
from

**Altech**<sup>®</sup>  
...naturally



# T-2 in UK Forage Samples (2007 Harvest)




■ Maize ■ Whole Crop

This information is a courtesy  
from





# OTA in UK Forage Samples (2007 Harvest)




■ Maize ■ Whole Crop

This information is a courtesy  
from






# Mycotoxins in UK Forage Samples (2007 Harvest)



■ Maize ■ Whole Crop

This information is a courtesy  
from





# Ukraine Mycotoxin Levels 2005

This information is a courtesy from



## Toxicological analysis of feeds from different regions of Ukraine

Region	Number of samples	Contaminated samples	
		T-2 toxin	Not identified
Kharkiv	554	81	167
Dontesk	300	54	70
Crimea	93	7	38
Lugansk	73	16	14
Dnepropetrovsk	30	8	14
Sumy	28	8	5
Others	51	7	10

This information is a courtesy from



# Mycotoxins in feedstuffs in Ukraine

Feedstuffs	Number of samples	Number of contaminated samples		Mycotoxin concentration, mcg/kg	
		T-2 toxin	Not identified	T-2toxin	Not identified
Complete feed	399	83	131	20-660	20-400
Wheat	181	19	30	40-220	20-190
Barley	98	16	24	20-120	20-180
Corn	17	51	35	20-600	20-180
Oat	19	3	8	30-250	30-120
Sunflower meal	98	5	40	50-160	30-440
Soya meal	83	-	17	-	20-160
Others	80	4	33	40-135	20-360

This information is a courtesy from

