

# Alltech® MYCOTOXIN MANAGEMENT



## Impact of Mycotoxins on Breeders

Mycotoxins are produced by moulds in the field, at harvest and during storage. They affect animal performance and producer profitability in a number of ways.

### How do mycotoxins affect breeders?

#### REPRODUCTION

- Lower egg production and decreased egg quality
- Increased embryonic mortality
- Poor fertility and hatchability
- Decreased chick viability

#### GUT HEALTH

- Damage to gut integrity (decreased villi height and surface area)
- Lower feed intake
- Poor intestinal digestion and absorption of feed
- Inconsistent faeces quality
- Necrotic enteritis/cocci infection/bacterial infections






#### IMMUNITY

- Poor antibody production/vaccine titers
- Reduced cell-mediated immunity
- Altered cytokine profile
- Increased duration of diseases
- Increased mortality rates






#### ORGAN DAMAGE

- Gizzard erosions
- Oral lesions, ulcers and plaques
- Liver and kidney damage
- Liver enlargement or fatty liver
- Bile duct hyperplasia
- Uric acid crystals in kidneys and joints (gout)

### How much can mycotoxins cost breeders?

-  ↓ 0.59 decrease in number of eggs/week/bird
-  ↓ 12.9% decrease in hatchability
-  ↑ 10.1% increase in early embryonic mortality
-  ↑ 12.8% increase in late embryonic mortality
-  ↓ \$0.35 decrease in profit/hen/week (based on decreased egg production and hatchability)

### What you could save with the Alltech Mycotoxin Management Program

-  ↑ 0.01 increase in number of eggs/week/bird
-  ↓ 17.8% increase in hatchability
-  ↓ 9.8% decrease in early embryonic mortality
-  ↓ 12.9% decrease in late embryonic mortality
-  ↑ \$0.24 increase in profit/bird/week compared to mycotoxin challenged birds (based on improved hatchability)

#### RESEARCH

Total number of birds = 450 | birds fed control diet = 135 | birds fed mycotoxin contaminated feed = 265 | birds fed mycotoxin contaminated feed + MYCOSORB = 50

References: Qureshi et al., 1998; Brake et al., 1999; Brake et al., 2000; Brake et al., 2002; Yegani et al., 2006; Girgis et al., 2010



ANIMALS ARE YOUR BUSINESS.  
PROTECTING THEM IS OURS.

Knowmycotoxins.com

 Alltech Mycotoxin Management

 AlltechNaturally

 @Alltech

# Alltech<sup>®</sup> MYCOTOXIN MANAGEMENT

## MYCOSORB A+<sup>®</sup>



MYCOSORB A+<sup>®</sup> reduces mycotoxin absorption, negating the damaging effects of mycotoxins on the health and performance of animals.

- A proven, broad spectrum mycotoxin binder, which tackles mycotoxin challenges as a whole rather than dealing with individual mycotoxins
- Fast acting, interacts with mycotoxins within 10 minutes
- Effective at a low inclusion level
- Proven by scientific research
  - 159 peer – reviewed published studies
  - 109 published *in vivo* trials
  - 22 published *in vitro* mode of action trials

MYCOSORB A+<sup>®</sup>, from ALLTECH<sup>®</sup>, offers producers a solution that limits the effect of more mycotoxins than ever before.

The graph on the right shows the risk associated with mycotoxin contamination in a particular feed sample with and without MYCOSORB A+<sup>®</sup>.


### TAKE THE MYCOSORB A+<sup>®</sup> CHALLENGE

Feeding rate: 0.5 - 2 kg/t

Feeding rate varies based on mycotoxin risk level in feed and life stage of the animal.

Alltech's Mycotoxin Management Program is designed to reduce risk while improving performance and profitability for individual animals. Actual results may vary. Program response and ROI will depend on specific farm scenarios.

■ Without MYCOSORB A+<sup>®</sup>    ■ With MYCOSORB A+<sup>®</sup>



ANIMALS ARE YOUR BUSINESS.  
PROTECTING THEM IS OURS.

[Knowmycotoxins.com](http://Knowmycotoxins.com)

[in](#) Alltech Mycotoxin Management

[f](#) AlltechNaturally

[t](#) @Alltech

GR 9657 ©2020. Alltech, Inc. All Rights Reserved.